



AD-A156 189 FURTHER GROUND-BASED STUDIES OF SOURCES FROM THE AFGL
AIR FORCE GEOPHYSI.. (U) CALIFORNIA UNIV SAN DIEGO LA
JOLLA CENTER FOR ASTROPHYSICS AN. B JONES ET AL.
UNCLASSIFIED MRR 84 AFGL-TR-84-0114 F19628-80-C-0063 F/G 3/1 NL

1/2





NATIONAL BUREAU OF STANDARDS
MICROCOPY RESOLUTION TEST CHART

AD-A156 189

(2)

AFGL-TR-84-0114

FURTHER GROUND-BASED STUDIES OF SOURCES
FROM THE AFGL INFRARED SKY SURVEY

B. Jones
J.M. Rodriguez-Espinosa

Center for Astrophysics & Space Sciences, C-011
University of California, San Diego
La Jolla, California 92093

Final Report
March 1980 - December 1983

March 1984

Approved for public release; distribution unlimited

AIR FORCE GEOPHYSICS LABORATORY
AIR FORCE SYSTEMS COMMAND
UNITED STATES AIR FORCE
HANSCOM AFB, MASSACHUSETTS 01731


DTIC
ELECTE
JUN 26 1985
S D
B

DTIC FILE COPY

85 06 10 105

This report has been reviewed by the ESD Public Affairs Office (PA) and is releasable to the National Technical Information Service (NTIS)

This technical report has been reviewed and is approved for publication



(Signature)
STEPHAN D. PRICE
Contract Manager



(Signature)
BERTRAM D. SCHURIN
Branch Chief

FOR THE COMMANDER



(Signature)
JOHN S. GARING
Division Director

Qualified requestors may obtain additional copies from the Defense Technical Information Center. All others should apply to the National Technical Information Service.

If your address has changed, or if you wish to be removed from the mailing list, or if the addressee is no longer employed by your organization, please notify AFGL/DAA, Hanscom AFB, MA 01731. This will assist us in maintaining a current mailing list.

Do not return copies of this report unless contractual obligations or notices on a specific document requires that it be returned.

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE

REPORT DOCUMENTATION PAGE

1a. REPORT SECURITY CLASSIFICATION <u>Unclassified</u>		1b. RESTRICTIVE MARKINGS									
2a. SECURITY CLASSIFICATION AUTHORITY		3. DISTRIBUTION/AVAILABILITY OF REPORT Approved for public release; distribution unlimited									
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE											
4. PERFORMING ORGANIZATION REPORT NUMBER(S)		5. MONITORING ORGANIZATION REPORT NUMBER(S) AFGL-TR-84-0114									
6a. NAME OF PERFORMING ORGANIZATION Center for Astrophysics & Space Sciences, C-011	6b. OFFICE SYMBOL (If applicable) OPI	7a. NAME OF MONITORING ORGANIZATION									
6c. ADDRESS (City, State and ZIP Code) University of California, San Diego La Jolla, CA 92093		7b. ADDRESS (City, State and ZIP Code)									
8a. NAME OF FUNDING/SPONSORING ORGANIZATION Air Force Geophysics Laboratory	8b. OFFICE SYMBOL (If applicable) OPI	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER F19628-80-C-0063									
8c. ADDRESS (City, State and ZIP Code) Hanscom AFB, MA 01731		10. SOURCE OF FUNDING NOS. <table border="1"> <tr> <th>PROGRAM ELEMENT NO.</th> <th>PROJECT NO.</th> <th>TASK NO.</th> <th>WORK UNIT NO.</th> </tr> <tr> <td>63428F</td> <td>7670</td> <td>06</td> <td>AN</td> </tr> </table>		PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO.	WORK UNIT NO.	63428F	7670	06	AN
PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO.	WORK UNIT NO.								
63428F	7670	06	AN								
11. TITLE (Include Security Classification) Further Ground-Based Studies of Sources from the AFGL Infrared Sky											
12. PERSONAL AUTHOR(S) Survey B. Jones and J.M. Rodriguez-Espinosa											
13a. TYPE OF REPORT Final	13b. TIME COVERED FROM Mar 80 TO Dec 83	14. DATE OF REPORT (Yr., Mo., Day) 1984 March	15. PAGE COUNT 118								
16. SUPPLEMENTARY NOTATION											
17. COSATI CODES		18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) Galactic Structure, Infrared Sources, Stars . ←									
19. ABSTRACT (Continue on reverse if necessary and identify by block number) → Sixteen bright infrared celestial sources were monitored from the ground over a 3 year timespan with broadband filters from 1.2 to 18 microns. Higher resolution narrow-band spectra were also obtained for 3 of the sixteen objects, principally in the 8 to 14 micron region. The combination of variability timescales and spectra permit rough identification of the object class for individual objects. → cont. keywords include : —											
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT UNCLASSIFIED/UNLIMITED <input checked="" type="checkbox"/> SAME AS RPT. <input type="checkbox"/> DTIC USERS <input type="checkbox"/>		21. ABSTRACT SECURITY CLASSIFICATION Unclassified									
22a. NAME OF RESPONSIBLE INDIVIDUAL Stephan D. Price		22b. TELEPHONE NUMBER (Include Area Code) (617)861-4552	22c. OFFICE SYMBOL OPI								

**Further Ground-Based Studies of Sources from

the AFGL Infrared Sky Survey**

FINAL REPORT Contract No. F19628-80-C-0063

Introduction

Monitoring of the flux levels of a selection of sources in the 1.2 to 20 micron wavelength interval has been done using the 1.5m telescope at Mt. Lemmon operated by UCSD and the University of Minnesota. The time period covered by this contract is from Feb 1, 1980 to Jan 31, 1983, with a subsequent no cost extension to Oct 31, 1983. The principal personnel who have participated in the program are B. Jones, S. P. Willner, R. J. Rudy, and J. M. Rodriguez-Espinosa.

Dates for which observing was scheduled and for which observers were at the telescope are listed in Table 1. Observing time is scheduled in 7 day blocks. Due to inevitable problems with weather and occasionally with instrumentation data was not acquired on 100% of these observing runs, however an average of more than 90% were successful. No observing was attempted during the 2 month Arizona summer monsoon season during which the telescope is routinely shut-down.

Instrumentation initially planned for use in this project was the Ge:Ga bolometer operated at 1.5K. A problem developed with this system in early 1980 and an alternate dewar was used with an Si:As photoconductive detector. The bolometer was put back into use in October 81, and used to the end of the program. Minor differences exist in the filters and spectral response of the 2 detectors, the observations are tabulated separately, and marked distinctly when plotted on the same light curves.

Selection of Objects

The objects selected fall into three main categories:

- long period variables (Miras),
- stars with dust shells, either oxygen or carbon rich,
- very red objects, not yet classified.

A total of 16 objects were selected for detailed study. An attempt was made to select objects around the sky to provide an even observing load throughout the year. A list of objects with their classification (when known), periods, and coordinates, is provided in Table 2.

The Observations

Table 3 summarizes all observations of the program objects with brightnesses given in magnitudes. The uncertainties are ± 0.1 mag except at 18 microns where the uncertainty is ± 0.2 mag.

Figure 1 presents the light curves of each object at each wavelength. For objects having a well established period the data has been plotted as a function of the visual phase. Objects without a known periodicity are plotted against time in Julian days. We include for completeness the AAVSO V band light curves.

Figure 2 shows the spectra obtained at Mt. Lemmon for this program. Where spectra are available from other sources they are referenced.

We present below a brief discussion of characteristics of each of the sources, taken both from our data and from the general literature.

R And (GL 0059)

This star has been classified as S4,7e, a Mira type variable with a period of 409.2 days. The range of variability in the V band is from +6 to +14 mag, with some differences in brightness between successive cycles. There is clearly an excess emission in the spectrum at 10 microns. The IR maximum occurs at visual phase 0.3 for all the IR bands measured. Spectra were taken both at 2-4 microns and 8-13 microns. The increase in flux at around 10.5 microns shows the object has a silicon carbide component in its dust shell, and is therefore carbon rich.

HV Cas (GL 0167, IRC +50030)

HV Cas is classified as Ne, a Mira type variable with a period of 567 days. It is carbon rich showing excess flux longward of 10 microns typical of silicon-carbide dust. It also shows a feature at 2.3 microns from CO, and features at 3.07 and 3.9 microns. Our data are hard to interpret showing a possible minimum in flux at phase 0.25 with a rise at all IR wavelengths from phase 0.25 to 0.85 at which point there is a maximum. The latest phase measured 0.94 is significantly lower than the data at 0.85, but clearly more data would be a help here.

TX Cam (GL 0664, IRC 60150)

TX Cam is an MB, oxygen rich Mira type variable with a period of 557.4 days. It shows 10 micron silicate emission. The light curve published by the AAVSO shows considerable irregularity, our data show that these irregular fluctuations tend to occur simultaneously through the spectrum into the IR.

NV Aur (GL 0700, IRC +50137)

NV Aur is an oxygen rich late type M star, showing 1.9 and 2.7 micron water absorption bands and silicate emission with a possible self absorbed center at 10 microns (Merrill & Stein, 1976 II). Our data do not allow determination of the period but clear variability is seen, with some evidence that an increase in temperature from 900K to 1000K causes at least part of the increase in luminosity.

GL 0809

This source is in a blank field on the Palomar sky survey plates. It shows a 3.1 micron absorption and a smooth featureless continuum in the 8-13 micron range. It is probably a highly reddened carbon Mira. We were not able to acquire adequate data on it to predict a period.

R Lyn (GL 1050)

R Lyn is classified as S 2.5, 5e - S6, 8e, a Mira type variable with a period of 378.7 days.

R Gem

R Gem is classified as S3, 9e to S 6, 9e. It is a Mira type variable with a period of 369.6 days. A spectrum from 8-13 microns is presented in figure 2. This shows a small silicate emission superimposed on a 2500K blackbody continuum. As with R Leo the period is close to the length of the year restricting our coverage of the IR light curve.

R L Mi (GL 1376)

R L Mi is classified as M7e to MBe, a mira type variable with a period of 372.3 days. The 10 micron spectrum shows silicate emission (Forrest et al. 1975). Our data shows the temperature to be considerably hotter at phase 0.1 (2400K) than at phase 0.7 (1750K).

R Leo (GL 1380)

R Leo is classified as M6e to M9e, a Mira type variable with a period of 312.6 days. There is some irregularity in the visual light curve from cycle to cycle (AAVSO). It shows a small 10 micron excess due to silicate emission and 2.3 and 2.7 micron absorptions due to CO and water respectively (Merrill & Stein 1976 I). Because the period quite closely matches the length of the year we do not have good coverage of the complete cycle. From our data there is some evidence of temperature changes

CW Leo (GL 1381, IRC +10216)

CW Leo is better known as IRC +10216. The IR spectrum shows silicon carbide in emission and the usual C star feature at 3.07 microns. Our data does not give evidence for periodicity or for large temperature changes associated with the variability.

SS Vir (GL 1549)

SS Vir is classified as C6.3, a Mira type variable with a period of 354.7 days. Its 2-4 micron spectrum shows absorptions at 3.07 and 3.9 microns characteristic of carbon stars. The 8-13 micron spectrum is presented in figure 2. This shows the silicon carbide emission feature as expected. The maximum emission in the IR occurs at visual phase of 0.3-0.4 and corresponds to an increase in the temperature from our observed minimum of 1900K to a peak of 2250K.

GL 2290

GL 2290 shows an optically thick dust shell with a temperature of about 600K, and a silicate absorption feature at 10 microns (spectrum shown in figure 2). The source has brightened considerably without any sign of periodic behavior during our monitoring period.

Xi Cyg (GL 2465)

Xi Cyg is classified as S7.1e to S10.1e, a Mira type variable with a period of 406.7 days. It shows a large silicate emission at 10 microns, there is no evidence for a change in temperature during the cycle.

GL 2704 (IRC 50357)

GL 2704 shows the features at 3.07 microns in absorption and 10.5 microns in emission typical of a carbon star. It shows variability of slightly more than a magnitude in the IR with some evidence for changes in temperature from a minimum of 750K to a maximum observed of 950K. We do not have adequate data to see whether there is evidence of periodicity.

GL 2885

This source shows a silicate absorption feature at 10 microns, and a combined water and CO absorption at 2.7 microns (Merrill & Stein, 1976 III). Probably the source is a late M star, oxygen rich, with an extensive cool dust shell. Our data suggests that any periodicity must be on a time scale of 600 days or more. No significant change in temperature of the dust shell can be seen during changes of more than a magnitude in the mid-IR flux.

GL 3068

GL 3068 shows a very cool continuum ($T=325K$) with a 3.1 micron carbon star absorption feature, and a feature at 11 microns probably due to silicon carbide in absorption (Jones et al. 1978). Our data show significant variability 1 mag at 3.5 microns, 0.5 mag at 10 microns. No change in temperature is seen. It is not possible to deduce a period from this data.

References

American Association of Variable Star Observers (AAVSO) Report 38.

Jones, B., Merrill, K. M., Puetter, R. C. and Willner, S. P. (1978)
Astron. J. 83, 1437.

Forrest, W. J., Gillett, F. C. and Stein, W. A. (1975), Ap. J. 195, 423.

Merrill, K. M. PhD Thesis 1976, University of California, San Diego.

Merrill, K. M., and Stein, W. A. (1976 I), PASP 88, 285.

Merrill, K. M., and Stein, W. A. (1976 II), PASP 88, 294.

Merrill, K. M., and Stein, W. A. (1976 III), PASP 88, 874.

Accession For	
NTIS GRA&I <input checked="" type="checkbox"/>	
DTIC TAB <input type="checkbox"/>	
Unannounced <input type="checkbox"/>	
Justification _____	
By _____	
Distribution/ _____	
Availability Codes	
Dist	Avail and/or Special
A-1	



Table 1

Telescope Time Scheduled for this Program

Dates	Instrument	Observers	Comments
4/80	Si:As	SPW	Partly clear
5/80	Si:As	RJR	Partly clear
6/80	Si:As	SPW	Partly clear
9/80	Si:As	SPW	Good weather
11/80	Si:As	BJ	Partly clear
1/81	Si:As	JMRE	Good weather
2/81	Si:As	BJ	Good weather
5/81	Si:As	RJR	Good weather
6/81	Si:As	JMRE	Good weather
7/81	Si:As	JMRE	100% cloudy
9/81	Bolometer	JMRE	100% cloudy
10/81	Bolometer	JMRE	Good weather
12/81	Bolometer	JMRE	Mostly cloudy
2/82	Bolometer	JMRE	Good weather
3/82	Bolometer	JMRE	Good weather
5/82	Bolometer	JMRE	Good weather
6/82	Bolometer	JMRE	Good weather
7/82	Bolometer	BJ	Good weather
9/82	Bolometer	BJ	Good weather
11/82	Bolometer	JMRE	Good weather
12/82	Bolometer	BJ	Good weather
1/83	Bolometer	JMRE	Good weather
2/83	Bolometer	BJ	100% cloudy
3/83	Bolometer	JMRE	Partly cloudy
4/83	Bolometer	BJ	Partly cloudy
5/83	Bolometer	JMRE	Good weather
6/83	Bolometer	JMRE	Partly cloudy

Observers

BJ Barbara Jones
JMRE Jose Rodriguez-Espinosa
RJR Richard Rudy
SPW Steve Willner

Table 2

Program Objects

Name	Classification	RA(1950)	DEC(1950)	Period
And GL 0059	S4.7e C rich M	00h 21m 23s	+38 18 02	409.2d
Cas GL 0167	Ne M	01h 08m 04s	+53 28 00	527d
Cam GL 0664	M8 M	04h 56m 44s	+56 06 54	557.4d
Aur GL 0700	O rich	05h 07m 20s	+52 48 48	?
GL 0809	C rich	05h 40m 33s	+32 40 58	?
Lyn GL 1050	S2.5,5e M	06h 57m 14s	+55 24 24	378.86d
Gem	S3.9e O rich M	07h 04m 19s	+22 46 30	369.63d
Mi GL 1376	M7e-M8e M	09h 42m 35s	+34 44 18	372.3d
Leo GL 1380	M6e-M9e M	09h 44m 52s	+11 39 48	312.6d
Leo GL 1381#	C star	09h 45m 18s	+13 30 36	?
Vir GL 1549	C6.3 M	12h 22m 41s	+01 02 46	354.7d *
GL 2290	O rich	18h 56m 04s	+06 38 52	?
Cyg GL 2465	S7.1e O rich M	19h 48m 38s	+32 47 10	406.8d *
GL 2704	C rich	21h 03m 34s	+51 36 48	?
GL 2885	O rich	22h 17m 41s	+59 35 24	?
GL 3068	Cx?	23h 16m 41s	+16 54 36	?

Notes

* period irregular

? period unknown

known as IRC +10216

M Mira type variable

Cx? Probably carbon star embedded in dust shell

TABLE 3

R AND

ATES	PHASE	1.2	1.6	2.2	2.3	3.5	3.6	4.9
11/80	0.17	*****	-0.02	*****	-0.28	-0.99	*****	-1.34
22/80	0.20	*****	-0.08	*****	-0.37	-1.13	*****	-1.39
19/80	0.42	*****	-0.08	*****	-0.53	-1.23	*****	-1.45
22/80	0.57	*****	0.31	*****	-0.16	-0.90	*****	-1.18
22/81	0.72	*****	0.89	*****	0.28	-0.47	*****	-0.76
22/81	0.02	*****	0.83	*****	0.42	-0.42	*****	-0.76
17/81	0.08	*****	0.66	*****	0.21	-0.59	*****	-1.01
20/81	0.31	*****	-0.27	-0.54	*****	*****	-1.19	-1.33
20/81	0.38	*****	-0.09	-0.58	*****	*****	-1.30	-1.51
3/82	0.01	1.53	0.75	0.32	*****	*****	-0.41	-0.76
24/82	0.22	1.03	0.19	-0.28	*****	*****	-1.07	-1.45
13/82	0.41	0.74	-0.23	-0.71	*****	*****	-1.32	-1.45
29/83	0.82	3.65	1.38	0.80	*****	*****	0.19	0.11

R AND

ATES	PHASE	8.4	8.6	10.3	10.6	11.3	12.8	18.0
11/80	0.17	-2.43	*****	*****	-3.12	*****	-3.26	*****
22/80	0.20	-2.45	*****	*****	-3.10	*****	-3.23	*****
19/80	0.42	-2.37	*****	*****	-3.06	*****	-3.25	*****
22/80	0.57	-2.10	*****	*****	-2.81	*****	-3.00	*****
22/81	0.72	-1.70	*****	*****	-2.40	*****	-2.65	*****
22/81	0.02	-1.91	*****	*****	-2.76	*****	-2.92	*****
17/81	0.08	-2.06	*****	*****	-2.86	*****	-3.07	*****
20/81	0.31	*****	-2.41	-3.18	*****	-2.75	-3.27	-3.58
20/81	0.38	*****	-2.49	-3.25	*****	-3.36	-3.40	-3.80
3/82	0.01	*****	-1.90	-2.67	*****	-2.73	-2.66	-2.63
24/82	0.22	*****	-2.50	-3.28	*****	-3.34	-3.46	-3.56
13/82	0.41	*****	-2.60	-3.35	*****	-3.34	-3.32	-3.74
29/83	0.82	*****	-1.16	-2.00	*****	-2.11	-2.22	-0.86

GL 2885

TES	DAYS	1.2	1.6	2.2	2.3	3.5	3.6	4.9
2/80	0	*****	*****	*****	6.26	1.96	*****	0.45
1/80	90	*****	*****	*****	5.22	1.20	*****	-0.25
2/80	153	*****	*****	*****	4.90	1.16	*****	0.40
2/81	334	*****	*****	*****	4.39	0.74	*****	-0.49
7/81	360	*****	*****	*****	4.39	0.81	*****	-0.65
10/81	485	*****	8.24	4.62	*****	*****	0.79	-0.65
10/82	687	8.75	8.51	5.21	*****	*****	1.40	-0.07
15/82	723	9.38	9.21	5.29	*****	*****	1.45	0.07
17/82	740	*****	*****	5.04	*****	*****	1.22	-0.12
29/82	830	*****	8.19	5.69	*****	*****	1.82	0.34
29/83	1071	*****	*****	7.27	*****	*****	2.60	1.24

GL 2885

ATES	DAYS	8.4	8.6	10.3	10.6	11.3	12.8	18.0
22/80	0	-1.19	*****	*****	-0.75	*****	-2.18	*****
21/80	90	-1.77	*****	*****	-1.47	*****	-2.69	*****
22/80	153	-1.92	*****	*****	-1.65	*****	-2.84	*****
22/81	334	-2.10	*****	*****	-2.00	*****	-3.04	*****
17/81	360	-2.13	*****	*****	-1.95	*****	-3.08	*****
20/81	485	*****	-2.01	-1.45	*****	-2.36	-3.19	-4.16
10/82	687	*****	-1.65	-1.26	*****	-2.43	-3.02	-3.20
15/82	723	*****	-1.63	-1.01	*****	-1.94	-2.73	-3.91
2/82	740	*****	-1.63	-1.07	*****	-1.88	-2.84	-3.32
29/82	830	*****	-1.19	-0.54	*****	-1.49	-2.60	-3.24
29/83	1071	*****	-0.28	0.31	*****	-0.90	-1.90	-1.18

GL 2704

TES	DAYS	1.2	1.6	2.2	2.3	3.5	3.6	4.9
1/80	0	*****	*****	*****	3.30	0.88	*****	-0.19
1/80	92	*****	4.58	*****	2.45	0.15	*****	-0.84
2/81	335	*****	6.00	*****	3.57	1.18	*****	0.01
2/81	361	*****	*****	*****	3.64	1.37	*****	0.08
1/81	457	*****	4.89	3.60	*****	*****	1.73	0.13
2/81	485	*****	4.64	2.68	*****	*****	0.25	-0.86
1/82	688	6.71	4.38	2.64	*****	*****	0.39	-0.72
'82	712	6.60	4.57	2.70	*****	*****	0.44	-0.58
'82	741	*****	4.38	2.53	*****	*****	0.24	-0.74
2/82	831	7.29	5.70	3.65	*****	*****	1.19	0.03
3/83	1071	8.26	5.34	3.37	*****	*****	0.91	-0.23

GL 2704

TES	DAYS	8.4	8.6	10.3	10.6	11.3	12.8	18.0
1/80	0	-1.51	*****	*****	-1.83	*****	-1.89	*****
1/80	92	-1.91	*****	*****	-2.18	*****	-2.34	*****
2/81	335	-1.23	*****	*****	-1.61	*****	-1.70	*****
2/81	361	-1.24	*****	*****	-1.50	*****	-1.70	*****
1/81	457	*****	-1.24	-1.52	*****	-1.54	-2.11	-2.43
2/81	485	*****	-2.23	-2.12	*****	-2.21	-2.80	-3.15
1/82	688	*****	-1.88	-2.19	*****	-2.82	-2.54	-2.88
'82	712	*****	-1.82	-1.97	*****	-1.23	-2.29	-2.20
'82	741	*****	-1.81	-2.01	*****	-2.23	-2.34	-2.18
2/82	831	*****	-1.30	-1.50	*****	-1.92	-1.81	-1.83
3/83	1071	*****	-1.51	-1.72	*****	-1.97	-1.93	-1.19

X CYG

DATES	PHASE	1.2	1.6	2.2	2.3	3.5	3.6	4.9
16/80	0.50	*****	*****	*****	-2.25	-2.83	*****	-2.89
11/80	0.64	*****	-1.37	*****	-1.84	-2.58	*****	-2.67
21/80	0.89	*****	-1.46	*****	-1.98	-2.76	*****	-2.98
24/81	0.28	*****	-2.14	*****	-2.53	-3.14	*****	-3.19
22/81	0.49	*****	-1.85	*****	-2.35	-3.04	*****	-3.13
17/81	0.55	*****	-1.62	*****	-2.20	-2.86	*****	-3.04
10/82	0.36	-0.87	-2.02	-2.50	*****	*****	-3.19	-3.25
3/82	0.42	-0.83	-1.74	-2.30	*****	*****	-3.01	-3.13
3/82	0.49	-0.72	-1.65	-2.24	*****	*****	-2.98	-3.10
29/82	0.71	0.12	-0.91	-1.53	*****	*****	-2.34	-2.58
28/83	0.30	-0.55	-1.87	-2.37	*****	*****	-2.95	-3.04

X CYG

DATES	PHASE	8.4	8.6	10.3	10.6	11.3	12.8	18.0
/16/80	0.50	*****	*****	*****	*****	*****	*****	*****
/11/80	0.64	-3.24	*****	*****	-3.79	*****	-4.11	*****
/21/80	0.89	-3.45	*****	*****	-4.01	*****	-4.16	*****
/24/81	0.28	-4.08	*****	*****	-4.27	*****	-4.47	*****
/22/81	0.49	-3.52	*****	*****	-4.13	*****	-4.26	*****
/17/81	0.55	-3.48	*****	*****	-4.01	*****	-4.23	*****
/10/82	0.36	****	-3.81	-4.43	****	****	-4.51	-3.22
/3/82	0.42	****	-3.71	-4.37	****	****	-4.42	-4.24
/3/82	0.49	****	-3.65	-4.23	****	****	-4.22	-4.18
/29/82	0.71	****	-3.26	-3.75	****	-3.84	-3.94	-4.09
/28/83	0.30	****	-3.52	-4.26	****	-4.33	-4.24	-3.53

GL 2290

DATES	DAYs	1.2	1.6	2.2	2.3	3.5	3.6	4.9
21/80	0	*****	*****	*****	4.96	1.09	*****	-0.28
21/80	92	*****	*****	*****	4.01	0.49	*****	-0.80
24/81	248	*****	*****	*****	3.48	0.28	*****	-1.11
22/81	335	*****	*****	*****	3.38	0.09	*****	-1.04
17/81	361	*****	6.68	*****	3.34	0.16	*****	-1.21
10/82	688	7.96	7.26	4.25	*****	*****	0.83	-0.47
3/82	712	8.15	7.62	4.37	*****	*****	1.04	-0.34
2/82	741	*****	*****	4.12	*****	*****	0.74	-0.07
29/82	831	*****	7.80	4.60	*****	*****	1.15	-0.22
28/83	1071	*****	*****	6.02	*****	*****	2.08	0.65
10/83	1073	*****	*****	5.94	*****	*****	2.02	0.67

GL 2290

DATES	DAYs	8.4	8.6	10.3	10.6	11.3	12.8	18.0
21/80	0	-2.06	*****	*****	-2.07	*****	-3.03	*****
21/80	92	-2.56	*****	*****	-2.59	*****	-3.34	*****
24/81	248	-2.79	*****	*****	-2.97	*****	-3.71	*****
22/81	335	-2.85	*****	*****	-3.06	*****	-3.70	*****
17/81	361	-2.88	*****	*****	-3.03	*****	-3.76	*****
10/82	688	*****	-2.30	-2.24	*****	*****	-3.38	-2.86
3/82	712	*****	-2.25	-2.31	*****	*****	-3.26	-4.04
2/82	741	-2.38	*****	-2.25	*****	*****	-3.42	-4.29
29/82	831	*****	-2.16	-1.96	*****	-2.71	-3.36	-3.79
28/83	1071	*****	-1.20	-1.00	*****	-1.75	-2.42	-2.34
10/83	1073	*****	-1.35	-0.99	*****	-1.93	-2.67	-3.40

SS VIR

DATES	PHASE	1.2	1.6	2.2	2.3	3.5	3.6	4.9
6/11/80	0.54	*****	1.86	*****	0.97	0.13	*****	0.12
1/21/81	0.17	*****	1.50	*****	0.79	0.08	*****	-0.16
2/24/81	0.27	*****	1.35	*****	0.58	-0.01	*****	-0.14
6/17/81	0.58	*****	1.89	*****	0.91	0.08	*****	0.26
2/4/82	0.24	*****	1.25	0.51	*****	*****	-0.05	*****
3/5/82	0.32	2.29	1.22	0.50	*****	*****	-0.09	-0.13
6/4/82	0.58	3.29	2.21	1.22	*****	*****	0.34	0.34
12/13/82	0.12	2.47	1.44	0.69	*****	*****	0.18	-0.04
01/22/83	0.23	2.37	1.31	0.65	*****	*****	-0.02	-0.17

SS VIR

DATES	PHASE	8.4	8.6	10.3	10.6	11.3	12.8	18.0
6/11/80	0.54	-0.64	*****	*****	-1.00	*****	-0.93	*****
1/21/81	0.17	-0.76	*****	*****	-1.16	*****	-1.17	*****
2/24/81	0.27	-0.80	*****	*****	-1.13	*****	-1.20	*****
6/17/81	0.58	-0.62	*****	*****	-0.99	*****	-0.95	*****
2/4/82	0.24	*****	-0.97	-1.05	*****	*****	-1.05	-0.81
3/5/82	0.32	*****	-0.90	-1.06	*****	-1.40	-1.10	-1.60
6/4/82	0.58	*****	-0.49	-0.72	*****	-1.02	-0.51	-1.05
12/13/82	0.12	*****	-0.82	-0.86	*****	-1.28	-0.92	-1.31
01/22/83	0.23	*****	-0.54	-1.07	*****	-1.54	-1.06	-1.45

CW LEO

DATES	DAYS	1.2	1.6	2.2	2.3	3.5	3.6	4.9
5/11/80	0	*****	*****	*****	*****	-3.23	*****	-4.96
2/25/81	290	*****	5.76	*****	2.39	-1.86	*****	-3.98
2/4/82	634	*****	4.01	1.11	*****	*****	-4.10	-4.90
3/5/82	663	*****	4.11	1.05	*****	*****	-3.00	-4.78
5/9/82	728	7.97	4.57	1.58	*****	*****	-2.71	-4.49
12/13/82	946	*****	5.28	2.28	*****	*****	-2.08	-4.01
01/22/83	985	7.66	4.95	1.94	*****	*****	-2.37	-4.26
05/30/83	1110	6.29	3.74	0.68	*****	*****	-3.28	-4.84

CW LEO

DATES	DAYS	8.4	8.6	10.3	10.6	11.3	12.8	18.0
5/11/80	0	-7.31	*****	*****	-7.69	*****	*****	*****
2/25/81	290	-6.37	*****	*****	-6.91	*****	-7.25	*****
2/4/82	634	*****	-7.18	-7.62	*****	-7.94	-7.84	*****
3/5/82	663	*****	-7.15	-7.53	*****	-7.80	-7.85	-8.41
5/9/82	728	*****	-6.95	-7.44	*****	-7.69	-7.91	-8.11
12/13/82	946	*****	-6.61	-6.86	*****	-7.27	-7.23	-8.05
01/22/83	985	*****	-6.79	-7.17	*****	-7.44	-7.53	-7.96
05/30/83	1110	*****	-7.26	-7.52	*****	-8.11	-8.05	-7.42

R LEO

DATES	PHASE	1.2	1.6	2.2	2.3	3.5	3.6	4.9
5/11/80	0.49	*****	*****	*****	-2.07	-2.81	*****	-3.00
6/11/80	0.59	*****	-1.78	*****	-2.21	-2.84	*****	-3.04
1/21/81	0.31	*****	-1.87	*****	-2.40	-3.06	*****	-3.31
2/25/81	0.42	*****	-1.68	*****	-2.19	-2.98	*****	-3.23
3/7/82	0.62	-1.37	-2.07	-2.43	*****	*****	-3.09	-3.38
5/10/82	0.83	-1.45	-2.23	-2.59	*****	*****	-3.20	-3.44
11/06/82	0.40	-0.82	-1.71	-2.18	*****	*****	-2.89	-3.15
01/22/83	0.65	-0.98	-1.91	-2.29	*****	*****	-2.99	-3.15
05/30/83	0.06	-1.45	-2.33	-2.77	*****	*****	-3.19	-3.24

R LEO

DATES	PHASE	8.4	8.6	10.3	10.6	11.3	12.8	18.0
5/11/80	0.49	-3.79	*****	*****	-4.15	*****	-4.51	*****
6/11/80	0.59	-3.68	*****	*****	-4.19	*****	-4.65	*****
1/21/81	0.31	-3.63	*****	*****	-4.19	*****	-4.54	*****
2/25/81	0.42	-3.66	*****	*****	-4.13	*****	-4.43	*****
3/7/82	0.62	*****	-4.01	-4.40	*****	-4.34	-4.62	-4.85
5/10/82	0.83	*****	-4.07	-4.50	*****	-4.70	-4.64	-4.88
11/06/82	0.40	*****	-3.72	-4.09	*****	-4.25	-4.44	-4.77
01/22/83	0.65	*****	-3.79	-4.23	*****	-3.98	-4.51	-4.45
05/30/83	0.06	*****	-3.97	-4.25	*****	-4.59	-4.69	-3.88

R L MI

DATES	PHASE	1.2	1.6	2.2	2.3	3.5	3.6	4.9
6/11/80	0.11	*****	-0.55	*****	-0.99	-1.47	*****	-1.50
1/21/81	0.71	*****	0.94	*****	0.19	-0.75	*****	-1.16
2/25/81	0.80	*****	0.96	*****	0.29	-0.74	*****	-1.21
2/4/82	0.73	*****	1.81	0.81	*****	*****	-0.38	-0.77
3/5/82	0.81	2.21	1.24	0.49	*****	*****	-0.67	-1.23
11/06/82	0.47	1.48	0.49	0.00	*****	*****	-0.77	-1.00
01/22/83	0.67	1.65	0.62	-0.04	*****	*****	-0.97	-1.28
05/30/83	0.02	0.92	0.05	-0.49	*****	*****	-1.17	-1.22

R L MI

DATES	PHASE	8.4	8.6	10.3	10.6	11.3	12.8	18.0
6/11/80	0.11	-2.23	*****	*****	-2.87	*****	-3.14	*****
1/21/81	0.71	-1.75	*****	*****	-2.50	*****	-2.76	*****
2/25/81	0.80	-1.83	*****	*****	-2.51	*****	-2.73	*****
2/4/82	0.73	*****	-1.57	-2.19	*****	-2.39	-1.98	-2.78
3/5/82	0.81	*****	-1.91	-2.56	*****	-2.63	-2.60	-2.19
11/06/82	0.47	*****	-1.70	-2.32	*****	-2.45	-2.65	-2.94
01/22/83	0.67	*****	-1.88	-2.49	*****	-2.62	-2.77	-2.99
05/30/83	0.02	*****	-2.11	-2.72	*****	-3.17	-3.15	-2.44

R GEM

DATES	PHASE	1.2	1.6	2.2	2.3	3.5	3.6	4.9
1/21/81	0.59	*****	2.07	*****	1.73	1.21	*****	1.06
10/19/81	0.32	*****	1.59	1.20	*****	*****	0.68	0.66
2/3/82	0.61	*****	2.78	2.34	*****	*****	1.47	1.40
3/6/82	0.70	3.60	2.56	2.25	*****	*****	1.75	1.50
9/24/82	0.15	3.20	2.24	1.85	*****	*****	1.23	1.38
12/13/82	0.46	2.78	1.91	1.48	*****	*****	0.97	0.96

R GEM

DATES	PHASE	8.4	8.6	10.3	10.6	11.3	12.8	18.0
1/21/81	0.59	0.50	*****	*****	0.33	*****	*****	*****
10/19/81	0.32	*****	0.11	-0.24	*****	-0.27	-0.63	-0.91
2/3/82	0.61	*****	0.78	0.58	*****	0.39	0.74	*****
3/6/82	0.70	*****	0.86	0.69	*****	0.43	0.23	*****
9/24/82	0.15	*****	0.84	0.58	*****	0.13	0.12	*****
12/13/82	0.46	*****	0.45	0.30	*****	0.12	-0.02	-0.31

R LYN

DATES	PHASE	1.2	1.6	2.2	2.3	3.5	3.6	4.9
03/05/82	0.61	4.25	3.08	2.58	*****	*****	2.01	1.78
09/24/82	0.15	3.20	2.24	1.85	*****	*****	1.23	1.38
12/12/82	0.35	3.86	2.89	2.29	*****	*****	1.58	1.50
01/22/83	0.46	4.31	3.24	2.59	*****	*****	1.96	1.97

R LYN

DATES	PHASE	6.4	8.6	10.3	10.6	11.3	12.8	13.0
03/05/82	0.61	*****	1.33	1.13	*****	1.15	0.81	0.65
09/24/82	0.15	*****	0.84	0.58	*****	0.13	0.12	*****
12/12/82	0.35	*****	1.09	0.73	*****	0.34	1.01	*****
01/22/83	0.46	*****	1.42	1.29	*****	1.06	0.94	*****

GL 809

DATES	DAYS	1.2	1.6	2.2	2.3	3.5	3.6	4.9
2/25/81	0	*****	*****	*****	5.19	2.28	*****	0.76
10/19/81	235	*****	6.17	4.00	*****	*****	1.07	-0.26
2/5/82	345	*****	6.30	4.28	*****	*****	1.23	-0.09
3/6/82	374	*****	6.49	4.50	*****	*****	1.57	0.14
9/26/82	579	*****	8.17	5.67	*****	*****	2.48	0.98
11/05/82	618	*****	8.08	5.66	*****	*****	2.45	1.09

GL 809

DATES	DAYS	8.4	8.6	10.3	10.6	11.3	12.8	18.0
2/25/81	0	-1.18	*****	*****	-1.56	*****	-1.89	*****
10/19/81	235	-2.07	*****	-2.42	*****	-2.50	-2.73	-3.28
2/5/82	345	*****	-1.92	-2.12	*****	-2.30	-2.51	-2.79
3/6/82	374	*****	-1.80	-1.96	*****	-2.21	-2.31	-2.84
9/26/82	579	*****	-1.15	-1.64	*****	-1.63	-1.93	-1.16
11/05/82	618	*****	-1.10	-1.44	*****	-1.69	-1.90	-2.32

NV AUR

DATES	DAYS	1.2	1.6	2.2	2.3	3.5	3.6	4.9
9/19/80	0	*****	4.31	*****	2.66	0.76	*****	-0.18
1/22/81	125	*****	*****	*****	3.11	1.06	*****	0.14
2/25/81	159	*****	5.09	*****	3.23	1.14	*****	0.22
10/19/81	395	*****	4.11	2.33	*****	*****	0.25	-0.69
3/7/82	534	6.11	3.77	2.19	*****	*****	0.26	-0.73
9/26/82	738	7.17	4.76	3.05	*****	*****	1.00	0.15
11/05/82	777	7.97	5.60	3.81	*****	*****	1.80	1.01
12/13/82	814	8.40	5.18	3.38	*****	*****	1.38	0.44
01/22/83	855	8.05	5.65	3.53	*****	*****	1.22	0.47

NV AUR

DATES	DAYS	8.4	8.6	10.3	10.6	11.3	12.8	18.0
9/19/80	0	-1.81	*****	*****	-2.55	*****	-2.73	*****
1/22/81	125	-1.56	*****	*****	-2.31	*****	-2.53	*****
2/25/81	159	-1.43	*****	*****	-2.14	*****	-2.40	*****
10/19/81	395	*****	-2.43	-2.95	*****	-3.17	-3.23	-4.40
3/7/82	534	*****	-2.42	-3.11	*****	-3.28	-3.39	-5.23
9/26/82	738	*****	-1.86	-2.47	*****	-2.58	-2.72	-2.47
11/05/82	777	*****	-0.88	-1.34	*****	-1.65	-1.58	-2.89
12/13/82	814	*****	-1.39	-1.83	*****	-2.19	-2.36	-3.57
01/22/83	855	*****	-1.31	-1.55	*****	-2.08	-2.25	-3.48

TX CAM

DATES	PHASE	1.2	1.6	2.2	2.3	3.5	3.6	4.9
1/22/81	0.91	*****	0.96	*****	0.03	-1.19	*****	-1.62
2/24/81	0.97	*****	0.78	*****	-0.12	-1.31	*****	-1.78
9/21/81	0.34	*****	0.49	-0.16	*****	*****	-1.17	-1.53
10/19/81	0.39	*****	-0.37	-0.92	*****	*****	-1.76	-2.12
2/4/82	0.59	1.38	0.25	-0.32	*****	*****	-1.25	-1.80
7/6/82	0.64	1.71	0.55	-0.05	*****	*****	-1.07	-1.45
9/24/82	0.00	1.56	0.42	-0.31	*****	*****	-1.40	-1.77
11/05/82	0.08	1.20	0.10	-0.56	*****	*****	-1.59	-2.01
12/13/82	0.15	0.81	-0.26	-0.80	*****	*****	-1.65	-2.01

TX CAM

DATES	PHASE	8.4	8.6	10.3	10.6	11.3	12.8	18.0
1/22/81	0.91	-2.57	*****	*****	-3.50	*****	-3.52	*****
2/24/81	0.97	-2.64	*****	*****	-3.59	*****	-3.59	*****
9/21/81	0.34	*****	-2.82	-3.74	*****	-3.94	-3.42	-3.51
10/19/81	0.39	*****	-3.37	-4.37	*****	-4.26	-4.08	-5.03
2/4/82	0.59	*****	-2.99	-3.75	*****	-3.89	-3.67	-4.33
7/6/82	0.64	*****	-2.73	-3.51	*****	-3.57	-3.47	-4.02
9/24/82	0.00	*****	-2.95	-3.74	*****	-4.04	-3.63	-4.38
11/05/82	0.08	*****	-3.21	-4.01	*****	-3.12	-3.92	-4.68
12/13/82	0.15	*****	-3.36	-4.23	*****	-4.08	-3.76	-4.95

HV CAS

DATES	PHASE	1.2	1.6	2.2	2.3	3.5	3.6	4.9
6/22/80	0.94	*****	3.78	*****	2.32	0.76	*****	0.15
9/19/80	0.11	*****	4.48	*****	2.99	1.28	*****	0.58
11/22/80	0.23	*****	4.59	*****	2.90	1.35	*****	0.58
1/21/81	0.35	*****	4.30	*****	2.79	1.22	*****	0.41
2/25/81	0.41	*****	3.99	*****	2.53	1.06	*****	0.38
5/22/81	0.57	*****	3.78	*****	2.33	0.76	*****	0.21
10/19/81	0.86	*****	3.28	2.04	*****	*****	0.57	-0.09
9/26/82	0.86	5.19	3.74	2.47	*****	*****	0.99	0.23
12/13/82	0.65	4.58	3.23	2.13	*****	*****	0.82	0.23

HV CAS

DATES	PHASE	8.4	8.6	10.3	10.6	11.3	12.8	18.0
6/22/80	0.94	-0.83	*****	*****	-1.01	*****	-1.04	*****
9/19/80	0.11	-0.39	*****	*****	-0.71	*****	-0.76	*****
11/22/80	0.23	-0.38	*****	*****	-0.70	*****	-0.64	*****
1/21/81	0.35	-0.51	*****	*****	-0.79	*****	-0.83	*****
2/25/81	0.41	-0.60	*****	*****	-0.86	*****	-0.84	*****
5/22/81	0.57	-0.71	*****	*****	-1.06	*****	-1.04	*****
10/19/81	0.86	*****	-0.95	-1.20	*****	-1.37	-1.04	-1.39
9/26/82	0.86	*****	-0.75	-1.06	*****	-1.07	-1.16	*****
12/13/82	0.65	*****	-0.50	-0.74	*****	-1.18	-0.81	-0.61


GL 3068

DATES	DAYS	1.2	1.6	2.2	2.3	3.5	3.6	4.9
6/22/80	0	*****	*****	*****	*****	4.19	*****	1.54
9/19/80	89	*****	*****	*****	*****	3.42	*****	0.85
11/22/80	153	*****	*****	*****	*****	3.04	*****	0.29
5/22/81	334	*****	*****	*****	*****	3.77	*****	1.22
6/17/81	360	*****	*****	*****	*****	3.99	*****	1.13
9/21/81	456	*****	7.60	7.51	*****	*****	3.51	0.94
10/19/81	484	*****	*****	*****	*****	*****	3.83	1.13
7/2/82	740	*****	*****	*****	*****	*****	3.40	0.87
9/29/82	830	*****	*****	*****	*****	*****	3.47	0.91
05/30/83	1072	*****	*****	8.99	*****	*****	4.36	1.84


GL 3068

DATES	DAYS	8.4	8.6	10.3	10.6	11.3	12.8	18.0
6/22/80	0	-2.30	*****	*****	-2.91	*****	-3.49	*****
9/19/80	89	-2.75	*****	*****	-3.38	*****	-3.93	*****
11/22/80	153	-3.00	*****	*****	-3.67	*****	-4.18	*****
5/22/81	334	-2.49	*****	*****	-3.25	*****	-3.78	*****
6/17/81	360	-2.43	*****	*****	-3.16	*****	*****	*****
9/21/81	456	*****	-2.07	-2.33	*****	-2.37	-3.08	-4.78
10/19/81	484	*****	-2.90	-3.51	*****	-3.72	-4.17	-5.20
7/2/82	740	*****	-2.93	-3.38	*****	-3.54	-4.16	-4.50
9/29/82	830	*****	-2.89	-3.39	*****	-3.56	-3.98	-4.87
05/30/83	1072	*****	-2.42	-2.83	*****	-3.38	-3.79	-4.25


FIGURE 1




M E G N I T U D E S




MAGNITUDES



R AND 10.3 micron




R AND 11.3 micron



FACTURES

12.8 micron

R AND




1.0
0.8
0.6
0.4
0.2
0.0

phase

18.0 micron

R AND



1.0
0.8
0.6
0.4
0.2
0.0


phase


RECENTRATIONS

J.D. 2,442,300-2,443,300


AAVSO Report 38


8






FACTURES








12.8 micron


HU CAS



0.0 0.2 0.4 0.6 0.8
phase


18.0 micron


HU CAS



0.0 0.2 0.4 0.6 0.8
phase


M A G N I T U D E S






4.9 micron



JL 803




M A G N I T U D E S




2.3 micron




STABILITY



NU AUR 12.8 micron




NU AUR 18.0 micron




MAGNITUDES


NU AUR 10.3 micron




NU AUR 11.3 micron




MEGNTURES





EFFECTS





RECONSTRUCTION

















SEARCHES





FIGURE 5

R LYN


2.3 micron



M A G N I T U D E S

R LYN

3.5 micron



R LYN

0.7 micron

0.1 0.2 0.3 0.4 0.5 0.6 0.7
phase

R LYN

4.9 micron

1.0

1.5

2.0

MAGNITUDE

55

0.1 0.2 0.3 0.4 0.5 0.6 0.7
phase

8.4 micron

R LYN

0.8

1.0

1.2


1.4

1.6

0.1 0.2 0.3 0.4 0.5 0.6 0.7
phase


10.3 micron

R LYN



11.3 micron


R LYN




MAGNETUSES

12.8 micron


R LYN





0.1 0.2 0.3 0.4 0.5 0.6 0.7
phase




0.1 0.2 0.3 0.4 0.5 0.6 0.7
phase








FACTURES



10.3 micron


R GEM




0.1 0.2 0.3 0.4 0.5 0.6 0.7
phase


11.3 micron

R GEM





0.1 0.2 0.3 0.4 0.5 0.6 0.7
phase






1.2 micron



MAGNITUDES

4.9 micron


CU LEO



days
200 400 600 800 1000 1200



8.4 micron

CU LEO




days
200 400 600 800 1000 1200

SECTEUR 1120




SCATTER PLOTS

1.0 micron
CU LEO




1.0 micron
CU LEO
days




1.6 micron
CU LEO

SAMPLE INDEX



R LEO


12.8 micron




MAGNITUDES

R LEO


18.0 micron






4.5 micron


R LEO





8.4 micron


R LEO




































FIGURE 2

SS VIR


10.3 MICRON




0.6
0.5
0.4
0.3
0.2
0.1
SS VIR


SS VIR

11.3 MICRON




0.6
0.5
0.4
0.3
0.2
0.1
SS VIR





1.2 micron

GL 2290



SEDIMENTATION

1200

1000

800

600


400

200

0


1.6 micron

GL 2290




2.3 micron

GL 2299



1000
800
600
400
200 days

3.5 micron




1000
800
600
400
200 days

GL 2299

4.9 micron


GL 2299



days
1200
1000
800
600
400
200
0

8.4 micron

GL 2299




days
1200
1000
800
600
400
200
0

SCATTER PLOTS


10.3 micron

GL 2299





11.3 micron


GL 2299



SEPC-1H233



SAMPLE 2239



AD-A156 189 FURTHER GROUND-BASED STUDIES OF SOURCES FROM THE AFGL
(AIR FORCE GEOPHYSI.. (U) CALIFORNIA UNIV SAN DIEGO LA
JOLLA CENTER FOR ASTROPHYSICS AN. B JONES ET AL.
UNCLASSIFIED MAR 84 AFGL-TR-84-0114 F19628-80-C-0063

2/2


F/G 3/1

NL


END


100%


ONE




NATIONAL BUREAU OF STANDARDS
MICROCOPY RESOLUTION TEST CHART











GL 2704

1.0 micron



GL 2704


1.6 micron



MEASUREMENTS


GL 2704

2.3 micron




GL 2704

3.5 micron




NUMBER INDEX




GL 2704

10.3 micron



GL 2704


11.3 micron



S E P C - H I G H

GL 2704

12.5 micron




18.0 micron

GL 2704

18.0 micron


SIZE CHANGES



SEDC-THIN

2.3 micron


GL 2885



200 200 400 600 800 1000 1200
days


3.5 micron

GL 2885




200 200 400 600 800 1000 1200
days


SAMPLES




MAGNITUDES




SEARCH INDEX




MEASUREMENTS




SUMMARY



10.3 micron
GL 3068



11.3 micron
GL 3068



SIZE CHANGES








Figure 2









REPRODUCED AT GOVERNMENT EXPENSE

END

FILMED

8-85

DTIC